

LED and Light Reflective Scoreboards



Colorado Time Systems' numeric scoreboards are a cost-effective way to provide information, involve the audience, and showcase the athletes for all aquatic sports, as well as track. Modules can be used singly or combined in multiple-module scoreboard designs.

Whether you choose light-reflective or LED digits, your display will enhance your program and provide exceptional visibility. Designed specifically for the swimming pool environment, your scoreboard's high-quality construction resists corrosion in any environment; giving you years of trouble-free service.

Panels can be added to the numeric scoreboard for sponsor advertising or facility/team name.

Numeric scoreboards can be set to display information for swimming, diving, water polo, synchronized swimming, track, and other sports. This scoreboard may also serve as a time-of-day clock and pace clock.

Rev 04/14



Product Specifications

General: Each one-line scoreboard module includes 8 seven-segment digits, 7 decimals, one colon, and a non-glare weather shield. LED scoreboards are available with 8 or 10 digits.

Power: Power required is 110~124 or 220~240VAC, 50/60Hz. Normal operating power is less than 1 amp per scoreboard module. Each duplex receptacle is 125V Leviton #5352 or equivalent for country of installation. Receptacles must be in place before CTS installation. It is extremely important that the circuits used to power the scoreboard are not shared with other devices. The scoreboard is sensitive to “noise” on the AC power line.

Mounting options: Flexible mounting configurations are available for multiple-module designs. Modules may be configured vertically up to thirteen units and mounted in a corner or on a flat wall. Modules may also be configured side-by-side and flat wall mounted. Please specify when ordering.

Signage: Signage and sign holder panel(s) can be provided. Please inquire for details when ordering.

Data cable: Specify length needed when ordering a new system. Standard lengths are: 100-, 150, or 200-ft.

LED module specifications

Digits: 10.1” (25.7cm) high
red, green, amber or blue
LEDs forming seven-segment digits

Dimensions (H x W x D): 14” x 97.63” x 4” (35.6cm x 248cm x 10.2cm)

Weight: 45 lbs (20.4kg)

Light reflective module specifications

Digits: 9.0” (22.9cm) high
fluorescent yellow, light reflective
seven-segment digits

Dimensions (H x W x D): 14” x 102” x 5.25” (35.6cm x 259.1cm x 13.3cm)

Weight: 72 lbs (32.7kg)



Our products are proudly manufactured in Loveland, CO

Rev 04/14

